

PRO CLASSIC 1005

This electric smoker is stainless steel throughout for long-lasting durability and is temperature controlled to produce the same mouthwatering results every time. In addition, this vertical smoker allows for large volumes of meat to be smoked at the same time.

PRODUCT SPECS

H 48" x W 21" x D 21"

Digital Temperature Control (80°F-300°F)

18 Gauge, Stainless Steel Interior

120 Volt Single Phase (1450 Watts)

Wifi/Bluetooth Enabled Temp Monitoring

Cover Available (sold separately)

Base Available (sold separately)

Smoke Sticks Available (sold separately)

CAPACITY

Summer Sausage 100 lbs

Pork Butts 70 lbs

Brisket 60 lbs

Ribs 50 lbs

Hot Dogs or Beef Sticks 25 lbs

PRO MAX 1005

This electric smoker is stainless steel throughout for long-lasting durability and is temperature controlled to produce the same mouthwatering results every time.

PRODUCT SPECS

H 48" x W 21" x D 21"

Digital Temperature Control (80°F-300°F)

Wi-Fi & Bluetooth App Enabled Temperature Monitoring

18 Gauge, Stainless Steel Interior

120 Volt Single Phase (1450 Watts)

Includes Cover

Includes Smoke Sticks

Modular Side Shelving Add-Ons Available

CAPACITY

Summer Sausage 100 lbs

Pork Butts 70 lbs

Brisket 60 lbs

Ribs 50 lbs


Hot Dogs or Beef Sticks 25 lbs



PRO SMOKER SMOKER

FORGED from SMOHE and FIRE

The value of the global smoker and grill market is expected to rise to 8.1 billion dollars in 2023, up substantially from 5.1 billion in 2019.



FEATURES & BENEFITS







FUEL SOURCE	SAMDUST/WOODCHIPS	SAMDUST/MOODCHIPS	SAMDUST/MOODCHIPS
SMOKING CAPACITY	100 LB5	100 LB5	100 LB5
DIGITAL TEMP CONTROL	✓	✓	\checkmark
STRINLESS INTERIOR	\checkmark	\checkmark	\checkmark
STRINLESS EXTERIOR	✓	✓	✓
WI-FI & BLUETOOTH APP	-	✓	✓
HERT ELEMENT CHAMBER	-	-	✓
ELECTRICAL	1250 WATTS	1450 WATTS	1450 WATTS
MADE IN USA	✓	-	✓
PRODUCT SCREENS	5	6	6
REMOVABLE BRSE	SOLD SEPARATELY	SOLO SEPARATELY	\checkmark
COVER	SOLD SEPARATELY	SOLD SEPARATELY	✓
SMOKE STICKS	SOLD SEPERATELY	SOLD SEPERATELY	✓
WARRANTY	1 YEAR	1 YERR	5 YEARS